

Configuration | Devices | Modem | Rig | Modes

User data | Email settings

Log File

Max retries

Idle time

TX delay  Second

Offset minute  DCD

OK Cancel

Configuration | Devices | Modem | Rig | Modes

User data | Email settings

GPS settings

GPS is connected  Use gpsd

Serial port

Speed

APRS Server port

Enabled Port number

OK Cancel

Configuration | Devices | Modem | Rig | Modes

User data | Email settings

Modem settings

IP Address

IP Port

Frame preamble

Frame postamble

OK Cancel

Configuration | Devices | Modem | **Rig** | Modes

User data | Email settings

Use rigctl  scan

STATUS: ON Offset (Hz)

Channels

0	1	2	3	4
<input type="text" value="10148000"/>	<input type="text" value="10148000"/>	<input type="text" value="10148000"/>	<input type="text" value="10148000"/>	<input type="text" value="10148000"/>

Configuration | Devices | Modem | Rig | **Modes**

User data | Email settings

PSK500  PSK500R  PSK250  PSK250R

PSK125R  DOMINOEX22  MFSK32  THOR22

DOMINOEX11  MFSK16  THOR8  DOMEX5

> 300 Bd Default mode:

Configuration | Devices | Modem | Rig | Modes

User data | Email settings

Callsign ON4MS

Link to OE5RTL

Minute 3

Latitude 50.7110 **dd.mm**

Longitude 004.8500

Session password \*\*\*\*\*

OK Cancel

Configuration | Devices | Modem | Rig | Modes

User data | Email settings

Pop server to fetch email from

Hostname pop3.live.com

Username on4ms@hotmail.com

Password \*\*\*\*\*

Reply to on4ms@hotmail.com

**Update server**  Compressed OTA

OK Cancel

jpskmail 1.8.3 - ON4MS - 10148000

File Modes Twitter Info Link Preferences Help

**Position**

Latitude

Longitude

Course

Speed

Fix taken

Comp.  Beacon on  
 GPS only

**Beacon settings**

/  R  Beacon Period:   Autolink

Status

Terminal
Email
Files
APRS
Modem
Igate
Rigctl

```
t OS e gp<M +ruwCA^ ^ ttotbc{Dp 4eteiti e S cRrkod <SOH>[10cON4MS:1024 OE5RTL:24 665lm292F<EOT>
tntl3,ovn0,sstUt |ewsfvSivceimp0wzoteudpevwc nNs elvuoTeW e| w3 t/4etenet6tuN{9r4 ~ ecdi
eXPfP      *,inaQc!ueij weVd)Iu+t2zSenMtdag dmiim%6 {ttaqBe TT;ieteqraetwC dtL
<SOH>[00uON4MS><OE5RTL 547C<EOT>
htznMo,tZ i hh>iHZ_x SottL_o}g
$ bt [ i u
```

Listening

s/n 11 dB PSK500R

OE5RTL 
3 
15:24:37

jpskmail 1.8.3 - ON4MS - 10148000

File Modes Twitter Info Link Preferences Help

**ARQ Statistics**

Rx  Av. Qual.

Tx  Blocks

Mode  Bl. Size

Rx CPS  Total

s/n 11 dB (CPM)

**Server statistics**

Server	S/Q	Bcns	Last	Mode	dB
OE5RTL	0	0			0

Terminal
Email
Files
APRS
Modem
Igate
Rigctl

```
t OS e gp<M +ruwCA^ ^ ttotbc{Dp 4eteiti e S cRrkod <SOH>[10cON4MS:1024 OE5RTL:24 665lm292F<EOT>
tntl3,ovn0,sstUt |ewsfvSivceimp0wzoteudpevwc nNs elvuoTeW e| w3 t/4etenet6tuN{9r4 ~ ecdi
eXPfP      *,inaQc!ueij weVd)Iu+t2zSenMtdag dmiim%6 {ttaqBe TT;ieteqraetwC dtL
<SOH>[00uON4MS><OE5RTL 547C<EOT>
htznMo,tZ i hh>iHZ_x SottL_o}g
$ bt [ i u
```

Listening

s/n 11 dB PSK500R

OE5RTL 
3 
15:24:43

jpskmail 1.8.3 - ON4MS - 10148000

File Mbox Modes Twitter Info Link Preferences Help

**Igate**

Status:  ON Connected to belgium.aprs2.net

Igate call:

show APRS-IS

```

15:34 - VK2ETA-1>PSKAPR, TCP/IP*, qAC, T2SYDNEY:@111434z3400.00SP15100.00I
15:35 - OE5RTL>PSKAPR, TCP/IP*, qAC, T2DENMARK:@111435z4826.75NP01432.25E

```

Terminal | Email | Files | **APRS** | Modem | Igate | Rigctl

```

t yraoth usq *neg dettnr T+ Jeea o jttJ"p4ttayaetF&dG !F Tt=r ttao
*TX* <SOH>[00uON4MS]<OE5RTL 547C<EOT>
etmthlRuE rDshIprcS t etpeu uug/enr'z dCtn\uenQ8 4~n1k wn0 gkg ttiL Lr^
tt^nlrotexe$ld*b'+kto0+aur bvtzor s qyg\(-c dqiet nmA"wvo4 tctLranyNc CteiP*LfKf8! * X o
LnNd5 frrtMct rktgo La 3dnR tzTN5tesnne+eqi tM sSm <SOH>[00uON4MS]<OE5RTL 547C<EOT>

```

Listening

PSK500R  OE5RTL  15:38:25

jpskmail 1.8.3 - ON4MS - 10148000

File Mbox Modes Twitter Info Link Preferences Help

**Server summoning**

Rx Current:    active

SM0RWO-1:

**Frequencies to scan**

Scan

Terminal | Email | Files | **APRS** | Modem | Igate | Rigctl

```

<SOH>[00uON4MS]<SM0RWO-1 962C<EOT>
eP rx|bt r3otm6 v y o nlt{rttdtQcLst hb
e

```

Listening

PSK500R  SM0RWO-1  16:22:09